

What is claimed is:

1. A method for making a presentation for display on a first plurality of computers forming respective computer stations, utilizing a software control program, said method comprising:

installing said software control computer program on each of said first plurality of computers for the control of at least one unlike presentation display by the respective computer;

installing a corresponding at least one set of files to be played for said presentation on each of said first plurality of computers, each set of files including an initial file to be played and an ending file to be played;

associating playing timing for each set of files of said at least one set of files on each of said plurality of computers such that an effective beginning time and play duration time is associated with each file of the corresponding at least one set of files;

providing a start time for each initial file of said at least one set of files to be played on each of said first plurality of computers;

providing that each computer is synchronized to a common time;

providing that in each instance of controlling an unlike presentation display said control program on each of said first plurality of computers that said control program displays said initial file of each set of the corresponding at least one set of files at said respective start time; and

sequentially playing each file in each set of each corresponding at least one set of files for each of said first plurality of computers.

2. The method of claim 1 further comprising providing selected graphic files for playing within each said corresponding at least one set of files for each of said first plurality of computers.

3. The method of claim 2 further comprising providing selected audio files for playing within at least one of the corresponding at least one set of files.

4. The method of claim 1 wherein at least two of said corresponding at least one set of files comprise different graphic files contained therein.

5. The method of claim 1 further comprising running at least one instance of running a second plurality of simultaneous and independent executions of said software control program on a respective computer of said first plurality of computers such that said respective computer controls a corresponding second plurality of unlike presentation displays and further such that each instance of simultaneous and independent execution of said software control program coordinates a display sequence for a respective one of said corresponding second plurality of unlike presentation displays.

6. The method of claim 1 wherein said effective beginning time and play duration time are determined on the basis of a beginning time and an ending time.